STRATTON
GLOBAL PTY LTD
DELIVERING PERFORMANCE AND PEACE OF MIND

I7 SEMI

A CHALLENGER IN GLOBAL COMPETITION

TECHNICAL DATA SHEET

Type Code

	SEMI	**375**	**X**	**L**

Name of product

Cabinet length: 3 750 mm

Up shelf depth: S-400 mm M-450 mm X-500 mm

Cabinet height: L = 1 700 mm

Standard features

- 3 layers adjustable shelving, with plexiglass shelf stopper & price tag
- LED light under each shelf & top
- EBM evaporator fan motor
- Dixell digital thermostat
- Danfoss expansion valve (R404a, R448A, R449A)
- Night blinds
- Transparent glass endpanel
- Custom color

Accessaries

- Backwall top mirror
- Fruit & Vegetable display shelf
- EC evaporator fan motor
- Electronic expansion valve
- Mirror / Solid endpanel

SEMI		Models	125	187	250	290	375
S (L)	Length incl. endpanels (40 mm each)	[mm]	1 330	1 955	2 580	2 980	3 830
	Temperature range	[°C]			0 / +6		
	Display volume / Height 1 500 mm	[L]	530	800	1 060	1 230	1 600
	Display volume / Height 1 700 mm (L)	[L]	635	955	1 270	1 480	2 540
M (L)	Length incl. endpanels (40 mm each)	[mm]	1 330	1 955	2 580	2 980	3 830
	Temperature range	[°C]			0 / +6		
	Display volume / Height 1 500 mm	[L]	560	840	1 120	1 305	1 680
	Display volume / Height 1 700 mm (L)	[L]	825	1 235	1 650	1 910	2 470
X (L)	Length incl. endpanels (40 mm each)	[mm]	1 330	1 955	2 580	2 980	3 830
	Temperature range	[°C]			0 / +6		
	Display volume / Height 1 500 mm	[L]	725	1 085	1 450	1 680	2 170
	Display volume / Height 1 700 mm (L)	[L]	875	1 310	1 750	2 030	2 620

SECTIONAL VIEWS